

coats

*Engineered to Perform.
Designed to Last.*



MAXX 90 TIRE CHANGER

BUILT ON THE BEST PLATFORM IN THE BUSINESS



MAXX RIM/CLAMP

The Coats® Maxx picks up where the X-Series left off but goes further. This unit has been completely redesigned from the ground up based on extensive customer R&D and represents what it takes to make it in the high-volume tire business.

- ✓ **WIDER, MORE ROBUST CHASSIS**
- ✓ **MORE POWER, MORE FEATURES**
- ✓ **IMPROVED SPEED AND RELIABILITY**



**6" - 30" EXTERNAL
CLAMPING DIAMETER**



**BOTH HAND AND
FOOT CONTROL BEAD
LOOSENER INCLUDED**



**220V 2-SPEED
ELECTRIC OR
AIR MOTOR**



74"W X 86"H X 44"D

POWERFUL DYNAMIC FEATURES


DURABLE AND RELIABLE



More Robust Chassis

Tested up to 250,000 bead breaking cycles for ultimate durability in the harshest working environments.


BETTER BEAD SEALING



Dual Nozzle Bead Sealer

Seal difficult assemblies with ease with more air, more quickly.

TIME SAVER



No-Index Tabletop

Save time by not having to index the tabletop when working on large assemblies, reducing pedal presses and allowing techs to keep moving.


BEAD LOOSENER CHOICE



Hand and Foot Operated Bead Loosener

Different technicians have different work styles. Giving them a choice (hand or foot) of how they do the work lets them get it done on their terms.

VERSATILE CLAMPING



Grip Max 2.0 Extended Clamps

Clamp passenger car, light truck or extreme custom applications without changing anything for maximum time savings and damage avoidance.

POWER WHEN YOU NEED IT



220V 2-Speed Power Option

With our fast 220V 2-speed motor you can save time and effort.

PATENTED TOOL HEADS

Our patented tool heads work hard so you don't have to. The Maxx 90 features our Leverless Bead Lifter, Robo Roller and Robo Arm to make changing any tire a breeze.



ROBO ROLLER ARM

Device that provides additional power when mounting difficult tire assemblies and prevents the bead from rolling back over the mount tool.



ROBO ARM BEAD DEPRESSOR

Tool used to push the tire bead into the drop center of the rim, allowing for effortless mounting and dismounting of the tire.



LEVERLESS TOOL HEAD

Mounts and demounts tires without traditional tire tools that can potentially mar the wheel surface. Makes the process faster and easier while reducing potential for damage.



SCAN ME

SEE THE MAXX 90
IN ACTION

MOUNT & DEMOUNT TIRES WITH NO TIRE BAR




KEEP TOUGH BEADS IN DROP CENTER



MAINTAIN DROP CENTER & LIFT HEAVY ASSEMBLIES



SIMPLE CONTROLS MAKE IT EASY



SHOP TYPES



HIGH VOLUME TIRE DEALERS,
GENERAL REPAIR, OR STREET
PERFORMANCE SHOPS

TIRE TYPES



- ✓ OE PASSENGER
- ✓ PICKUP TRUCK & SUV
- ✓ EXTREME PERFORMANCE
- ✓ LIGHT-DUTY TRUCK
- ✓ ULTRA-LOW PROFILE
- ✓ RUN-FLAT


SPEED



COATS' FASTEST GROUND TO
GROUND TIRE CHANGER

MAXX

SPEED + POWER + DURABILITY + RELIABILITY + CAPABILITY



Maxx 90

"The Other Guys"

Machine Style	Tabletop Rim Clamp with Leverless	✓	Tabletop Rim Clamp
Mount/Demount Tool	Leverless Duckhead Beadlifter Steel, and Highspoke Duckhead	✓	Leverless Mount Head
Capacity	6-30" External (24" Total Range)	✓	10-26" External (16" Total Range)
Max Width	16"	✓	14"
Tire Max Diameter	50"	✓	43"
Bead Loosening Type	Dual Mode Hand/Foot Shovel Control	✓	Push Button Hand Shovel Only
Bead Loosener Width	Up to 22" Wide	✓	Only 16"
Pressing Devices	Robo-Arm, RoboRoller	✓	Disc Roller, Bead Press
Secondary Inflation	Double Single Point	✓	Optional Hose
Motors	Electric: 2-speed, 220 V, 60 Hz, 10 & 22RPM CW, 10RPM CCW, 4.0 HP Air Motor, 110-175 psi, 15 scfm	✓	7 & 17 RPM CW, 7 RPM CCW
Power	220V 10amp	✓	220V 7amp
Footprint	74"w x 86"h x 44"d		55"w x 82"h x 58"d

DUAL NOZZLE INFLATION SYSTEM



LEVERLESS BEAD LIFTING SYSTEM

UP TO 16" WHEEL WIDTH

220V 2 SPEED ELECTRIC MOTOR




CLAMPS 6" - 30" WHEELS



NO INDEX TABLETOP

WIDE CHASSIS

DUAL HAND AND FOOT BEAD LOOSENER CONTROLS



WHO WE ARE

The COATS Company is a leading, global manufacturer and distributor of service equipment and solutions. Based in Nashville, TN, we work with shops and dealerships around the world.

WHAT WE DO

- ✓ Maximize your uptime with our durable & reliable products
- ✓ Improve productivity with the fastest floor to floor times
- ✓ Provide easy to use equipment and solutions to our customers

Drawing on decades of expertise, market perspective, and innovative engineering, Coats keeps you ready for the next industry evolution.

WHY COATS

- ✓ **Legacy-** For over 75 years COATS has been trusted by shops and dealers across the country
- ✓ **Reliability-** Customer and technical service when you need it the most
- ✓ **Profitability-** Our products make your shop or dealership more efficient and profitable

SPECIFICATIONS

Wheel Handled	Alloy, Steel for Car & Light/Medium Truck
Rim Diameter	6-30"
Maximum Tire Diameter	50"
Maximum Rim Width	16"
Bead Loosening Width	Up to 22" Wide
Wheel Clamping System	4 Clamps, Air Cylinder Operated
Bead Seating Air Volume	5.4 Gallons in Tower
Air Drive System	Up to 4 HP*
Electric Drive System	220V 2 Speed Electric Motor
220V Electric Requirements	220V, 10amps, 1PH, NEMA L6-20
Footprint	74"w x 86"h x 44"d
Ship Weight	874 lbs. Low center of gravity for stability
Warranty	3 Year Parts, 6 Months Labor
Part Numbers	Elec, 220V 2 spd: 800MAXX90220 Air: 800MAXX90A Elec. 220V, 2 Spd w/Lift: 800MAXX90220L Air w/Lift: 800MAXX90AL

EQUIPMENT FOOTPRINT



*Max air motor HP dependent on shop air pressure

INCLUDED ACCESSORIES

Part Number	Description
8183606	Bead Loosener Shoe Socks - 2
85009048	Paste Lube Bracket & Brush
85607986	GripMax 30" Extended Clamps - 4
85612106	GripMax 2.0 Clamps - 4
8184126EX	Steel Clamps
85000783	Lift Tool Socks - 10
85610105	Premium Storage Cabinet

RECOMMENDED OPTIONAL ACCESSORIES



AUXILIARY BEAD SEALER (ABS)
(PN 85606545)

Visit our website for videos,
interactive content, and
virtual training

COATS

SALES: 1-855-876-3864
SERVICE: (800) 688-6359
TEXT FOR SERVICE: (615) 392-3193
 Please provide: Serial #, Shop Name, Full Address

- Free Setup & Training
- Preventative Maintenance
- Technical Support Team



SCAN ME