

coats

Engineered to Perform.
Designed to Last.



MAXX 50 TIRE CHANGER

BUILT ON THE BEST PLATFORM IN THE BUSINESS

MAXX RIM/CLAMP

The Coats® Maxx picks up where the X-Series left off but goes further. This unit has been completely redesigned from the ground up based on extensive customer R&D and represents what it takes to make it in the high-volume tire business.



- ✓ WIDER, MORE ROBUST CHASSIS
- ✓ RE-DESIGNED FEATURES
- ✓ ESSENTIAL & EFFECTIVE



6" - 24" EXTERNAL
CLAMPING DIAMETER



HAND OPERATED BEAD
LOOSENER




110V ELECTRIC OR
AIR MOTOR



74"W X 81"H X 44"D

POWERFUL DYNAMIC FEATURES


DURABLE AND RELIABLE



More Robust Chassis

Tested up to 250,000 bead breaking cycles for ultimate durability in the harshest working environments.


BETTER BEAD SEALING



Dual Nozzle Bead Sealer

Seal difficult assemblies with ease with more air, more quickly.


TIME SAVER



No-Index Tabletop

Save time by not having to index the tabletop when working on large assemblies, reducing pedal presses and allowing techs to keep moving.

UPGRADABILITY



Add Tool Heads & Foot Pedal

Maxx can grow along side your business with our field-upgradable machines.

PATENTED TOOL HEADS

Our patented tool heads work hard so you don't have to. The Maxx 50 features our Polymer Duckhead makes changing tires a breeze.




STANDARD WITH MAXX 50

POLYMER DUCKHEAD



Tool used for mounting and demounting tires without damaging the rim.

MOUNT & DEMOUNT TIRES WITHOUT DAMAGE



SCAN ME
SEE THE MAXX 50
IN ACTION

OPTIONAL ADD ONS

ROBO ARM BEAD DEPRESSOR



Tool used to push the tire bead into the drop center of the rim, allowing for effortless mounting and dismounting of the tire.

ROBO ROLLER ARM



Device that provides additional power when mounting difficult tire assemblies and prevents the bead from rolling back over the mount tool.

MAINTAIN DROP CENTER & LIFT HEAVY ASSEMBLIES



KEEP TOUGH BEADS IN DROP CENTER



SHOP TYPES



LOW VOLUME TIRE OR
GENERAL REPAIR SHOPS

TIRE TYPES



✓ OE PASSENGER
✓ LIGHT TRUCK & SUV


POWER / TORQUE



STRONG, ROBUST RIM CLAMP
TIRE CHANGER



SPEED + POWER + DURABILITY + RELIABILITY + CAPABILITY



Maxx 50

"The Other Guys"

Machine Style	Tabletop Rim Clamp	✓	Tabletop Rim Clamp
Mount/Demount Tool	Polymer Mount Head	✓	Polymer Mount Head
Capacity	6-30" External* (24" Total Range)	✓	10-26" External (16" Total Range)
Max Width	16"	✓	14"
Tire Max Diameter	50"	✓	43"
Bead Loosening Type	Hand Control Shovel	✓	Push Button Hand Shovel Only
Bead Loosener Width	Up to 22" Wide	✓	Only 16"
Secondary Inflation	Double Single Point	✓	Optional Hose
Footprint	74" w x 81" h x 44" d		55" w X 82" h X 58" d



*With optional Extended 30" Clamps

DUAL NOZZLE INFLATION SYSTEM



UP TO 16" WHEEL WIDTH


110V ELECTRIC OR
AIR MOTOR



STEEL CLAMPS
6" - 24" WHEELS

WIDE CHASSIS

NO INDEX
TABLETOP



WHO WE ARE

The COATS Company is a leading, global manufacturer and distributor of service equipment and solutions. Based in Nashville, TN, we work with shops and dealerships around the world.

WHAT WE DO

- ✓ Maximize your uptime with our durable & reliable product
- ✓ Improve productivity with the fastest floor to floor times
- ✓ Provide easy to use equipment and solutions to our customers

Drawing on decades of expertise, market perspective, and innovative engineering, Coats keeps you ready for the next industry evolution.

WHY COATS

- ✓ Legacy- For over 75 years COATS has been trusted by shops and dealers across the country
- ✓ Reliability- Customer and technical service when you need it the most
- ✓ Profitability- Our products make your shop or dealership more efficient and profitable


SPECIFICATIONS

Wheel Handled	Alloy, Steel for Car & Light Truck
Rim Diameter	6-24"
Maximum Tire Diameter	50"
Maximum Rim Width	16"
Bead Loosening Width	Up to 22" Wide
Wheel Clamping System	4 Clamps, Air Cylinder Operated
Bead Seating Air Volume	5.4 Gallons in Tower
Air Drive System	110-175 psi, 15 scfm
Electric Drive System	110V Electric Motor
Footprint	74" w x 81" h x 44" d
Ship Weight	750 lbs. Low center of gravity for stability
Warranty	3 Year Parts, 6 Months Labor
Part Numbers	Electric 110V: 800MAXX50 Air: 800MAXX50A

Elec 110V with wheel lift: 800MAXX50L
Air with wheel lift: 800MAXX50AL

*Max air motor HP dependent on shop air pressure

EQUIPMENT FOOTPRINT




INCLUDED ACCESSORIES

Part Number	Description
8183061	Polymer Duckhead
8184926	Steel Clamps

RECOMMENDED OPTIONAL ACCESSORIES



GRIP-MAX 2.0 @ 24" CLAMPS
(PN 85612106)



GRIPMAX @ 30" EXTENDED CLAMPS - 4
(PN 85607986)




FOOT OPERATED BEAD LOOSENER KIT
(PN 85611558-01)

*CONTACT YOUR COATS SERVICE REP
FOR PRICING AND INSTALLATION*



ROBO-ROLLER® BEAD ROLLER ARM KIT
(PN 85611867-01)

*CONTACT YOUR COATS SERVICE REP
FOR PRICING AND INSTALLATION*



ROBO-ARM® HELPER DEVICE KIT
(PN 85009937)




*CONTACT YOUR COATS SERVICE REP
FOR PRICING AND INSTALLATION*

*Visit our website for videos,
interactive content, and
virtual training*

coats
SERVICE NETWORK

Servicing Coats, AMMCO
and BaseLine products

SALES: 1-855-876-3864
SERVICE: (800) 688-6359
TEXT FOR SERVICE: (615) 392-3193
Please provide: Serial #, Shop Name, Full Address

-  Free Setup & Training
-  Preventative Maintenance
-  Technical Support Team



SCAN ME